## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 01.14.2016 **Revision**: 03.30.2016

**ETP Copper** 

# 1 Identification of the substance/mixture and of the company/undertaking



#### 1.1 Product identifier

Material Name: ETP Copper Trade Name: ETP Copper Product code: CDA 110, C11000

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against: Industrial

# 1.3 Details of the manufacturer/supplier of the safety data sheet

#### Manufacturer:

Rea Magnet Wire Company, Inc. 3400 E Coliseum Blvd. Suite 200 Fort Wayne, IN 46805 1-260-421-7358

# **Emergency telephone number:**

CHEMTREC

1-800-424-9300 (24 hour)

# 2 Hazards identification

#### 2.1 Classification of the substance or mixture:

In compliance with EC regulation No. 1272/2008, 29CFR1910/1200 and GHS Rev. 3 and amendments. The substance is not classified as hazardous according to the Globally Harmonized System (GHS).

Hazard-determining components of labeling: None.

#### 2.2 Label elements

Hazard pictograms: None

Signal word: None
Hazard statements:

None

# **Precautionary statements:**

None

### **2.3 Other hazards:** None known

### Information concerning particular hazards for humans and environment:

The product has to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

## Classification system:

The classification is according to EC regulation No. 1272/2008, 29CFR1910/1200 and GHS Rev. 3 and amendments, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 01.14.2016 **Revision**: 03.30.2016

# **ETP Copper**

# 3 Composition/information on ingredients

3.1 Chemical characterization: Mixture.

**3.2 Description:** None

# 3.3 Hazardous components (percentages by weight)

Identification	Name	Classification	Wt. %
<b>CAS number:</b> 7440-50-8	Copper		>99.95
<b>CAS number:</b> 7439-89-6	Iron		<0.01
<b>CAS number:</b> 7440-38-2	Arsenic	Acute Tox. 3; H301 Acute Tox. 3; H331 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	<0.01
<b>CAS number:</b> 7440-36-0	Antimony		<0.01
<b>CAS number:</b> 13494-80-9	Tellurium (solid)	Acute Tox. 4; H332 Eye Irrit. 2; H319 Stot SE 3; H335	<0.01
<b>CAS number:</b> 7782-44-7	Oxygen		<0.5
<b>CAS number:</b> 7440-69-9	Bismuth		<0.01
<b>CAS number:</b> 7782-49-2	Selenium	Acute Tox. 3; H301 Acute Tox. 3; H331 Stot RE 2; H373 Aquatic Chronic 4; H413	<0.01
<b>CAS number:</b> 7439-92-1	Lead		<0.01
<b>CAS number:</b> 7440-22-4	Silver		<0.01
<b>CAS number:</b> 7440-31-5	Tin		<0.01
<b>CAS number:</b> 7440-02-0	Nickel (solid)	Skin Sens. 1; H317 Stot RE 1; H372 Carc. 2; H351	<0.01
<b>CAS number:</b> 7723-14-0	Phosphorus	Aquatic Chronic 3; H412	<0.01
<b>CAS number:</b> 7704-34-9	Sulfur	Skin Irrit. 2 ; H315	<0.01

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 01.14.2016 **Revision**: 03.30.2016

## **ETP Copper**

Cadmium  Acute Tox. 2; H330 Stot RE 1; H372 Carc. 1B; H350 Muta. 2; H341 Repr. 2; H361 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	
--	--

#### 3.4 Additional information: None.

## 4 First aid measures

# 4.1 Description of first aid measures

General information: None.

#### After inhalation:

Loosen clothing as necessary and position individual in a comfortable position.

Maintain an unobstructed airway.

#### After skin contact:

Rinse affected area with soap and water.

If symptoms develop or persist, seek medical attention.

#### After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes.

If symptoms develop or persist, seek medical attention.

# After swallowing:

Seek medical attention if irritation, discomfort, or vomiting persists.

Rinse mouth thoroughly.

## 4.2 Most important symptoms and effects, both acute and delayed:

None

#### 4.3 Indication of any immediate medical attention and special treatment needed:

No additional information.

## 5 Firefighting measures

#### 5.1 Extinguishing media

## Suitable extinguishing media:

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media: None

### 5.2 Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

#### 5.3 Advice for firefighters

#### **Protective equipment:**

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Refer to Section 8.

## 5.4 Additional information:

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 01.14.2016 **Revision**: 03.30.2016

### **ETP Copper**

Avoid contact with skin, eyes and clothing. Avoid inhaling gases, fumes, dust, mist and vapor.

## 6 Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Ensure air handling systems are operational.

Wear protective eye wear, gloves and clothing.

## 6.2 Environmental precautions:

Should not be released into the environment.

Prevent from reaching drains, sewer or waterway.

# 6.3 Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing.

Sweep or scoop up solid material while minimizing dust generation.

Always obey local regulations.

#### 6.4 Reference to other sections: None

## 7 Handling and storage

#### 7.1 Precautions for safe handling:

Do not eat, drink, smoke or use personal products when handling chemical substances.

Do not taste or swallow.

# 7.2 Conditions for safe storage, including any incompatibilities:

Store away from incompatible materials.

Avoid storage near extreme heat, ignition sources or open flames.

## **7.3 Specific end use(s):** No additional information.

## 8 Exposure controls/personal protection







# 8.1 Control parameters:

13494-80-9, Tellurium (solid), ACGIH TLV TWA 0.1 mg/m³ as Te.

7440-31-5, Tin, OSHA PEL TWA 2 mg/m³ as Sn.

7440-31-5, Tin, NIOSH IDLH 100 mg/m<sup>3</sup> as Sn.

7440-22-4, Silver, MAK 0.1 mg/m<sup>3</sup>.

7440-22-4, Silver, OSHA PEL TWA 0.01 mg/m<sup>3</sup> as Ag.

7440-43-9, Cadmium, ACGIH TLV TWA 0.01 mg/m<sup>3</sup> as Cd (0.002 mg/m<sup>3</sup> as Cd, respirable fraction).

7440-43-9, Cadmium, OSHA PEL TWA 0.005 mg/m<sup>3</sup> as Cd.

7440-43-9, Cadmium, NIOSH IDLH 9 mg/m<sup>3</sup> as Cd.

7723-14-0, Phosphorus, MAK 0.01 mg/m<sup>3</sup>.

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 01.14.2016 **Revision**: 03.30.2016

### **ETP Copper**

7440-22-4, Silver, NIOSH IDLH 10 mg/m<sup>3</sup> as Ag.

7723-14-0, Phosphorus, OSHA PEL TWA 0.1 mg/m<sup>3</sup>.

7782-49-2, Selenium, MAK 0.02 mg/m<sup>3</sup>.

13494-80-9, Tellurium (solid), OSHA PEL TWA 0.1 mg/m³ as Te.

13494-80-9, Tellurium (solid), NIOSH IDLH 25 mg/m<sup>3</sup> as Te.

7782-49-2, Selenium, ACGIH TLV TWA 0.2 mg/m<sup>3</sup> as Se (metal and compounds).

7782-49-2, Selenium, OSHA PEL TWA 0.2 mg/m<sup>3</sup> as Se (compounds).

7440-02-0, Nickel (solid), ACGIH TLV TWA1.5 mg/m³, inhal. fraction (metal), 0.2 mg/m³, as Ni, inhal.

fraction(insol. inorg.compds), 0.1 mg/m³, as Ni, inhal. fraction(sol. inorg. compds).

7440-02-0, Nickel (solid), NIOSH IDLH 10 mg/m³ as Ni.

7440-02-0, Nickel (solid), OSHA PEL TWA 1 mg/m³ as Ni.

7782-49-2, Selenium, NIOSH IDLH 1 mg/m³ as Se.

7439-92-1, Lead, ACGIH TLV TWA 0.05 mg/m<sup>3</sup> as Pb.

7440-22-4, Silver, ACGIH TLV TWA 0.01 mg/m<sup>3</sup> as Ag (compounds), 0.1 mg/m<sup>3</sup> and fume (metal).

7440-31-5, Tin, ACGIH TLV TWA 2 mg/m<sup>3</sup> as Sn.

## 8.2 Exposure controls

## Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

When handling wire such as in winding operations, safety glasses with side shields and protective gloves should be worn.

Welding, brazing, soldering or hot staking should be done under a fume hood or in a room with adequate ventilation to prevent respiratory irritation.

If the wire is mechanically stripped, the dust should be contained and not allowed to enter the room air.

#### **Respiratory protection:**

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

### Protection of skin:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

## **Eye protection:**

Safety goggles or glasses, or appropriate eye protection.

## General hygienic measures:

Wash hands before breaks and at the end of work.

Avoid contact with skin, eyes and clothing.

## 9 Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Appearance (physical state, color):	ISOUR REATO Brown	Explosion limit lower: Explosion limit upper:	Not determined or not available. Not determined or not available.
Odor:	Odorless	Vapor pressure:	1 mmHg @ 1628°C

# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 01.14.2016 **Revision**: 03.30.2016

## **ETP Copper**

Odor threshold:	Not determined or not available.	Vapor density:	Not determined or not available.
pH-value:	Not determined or not available.	Relative density:	Not determined or not available.
Melting/Freezing point:	1083°C (1981.4°F)	Solubilities:	Insoluble.
Boiling point/range:	2595°C (4703°F)	Partition coefficient (noctanol/water):	Not determined or not available.
Flash point (closed cup):	Not determined or not available.	Auto/Self-ignition temperature:	Not determined or not available.
Evaporation rate:	Not determined or not available.	Decomposition temperature:	Not determined or not available.
Flammability (solid, gaseous):	Not determined or not available.	Dynamic viscosity:	Not determined or not available.
Density:	8.94 (Water = 1)	Kinematic viscosity:	Not determined or not available.

# 10 Stability and reactivity

**10.1 Reactivity:** Does not react under normal conditions of use and storage.

**10.2** Chemical stability: Stable under normal conditions of use and storage.

### 10.3 Possibility of hazardous reactions:

Rapid polymer decomposition temperatures start at 400-500 °C. Under normal conditions and temperatures, the insulated wire is unreactive. However, the dust from stripping the insulation may react violently with inorganic acids and alkalis.

When burned, soldered, hot staked, welded or bonded, magnet wire may give off toxic decomposition products which may cause eye and/or respiratory irritation. These decomposition products may include one or more of the following: carbon monoxide, carbon dioxide, cresol, phenols, nitrous oxides, formaldehyde\*, toluene diisocyanate\*, and methylene dianiline.

Acute exposure to metal fumes may cause irritation of the respiratory tract and /or metal fume fever with symptoms of fever, chills, nausea, chest tightness or metallic taste. Exposure to isocyanates may cause a chemical sensitivity.

If mechanical abraded, maintain nuisance dust levels below regulatory levels.

10.4 Conditions to avoid: None known.

**10.5** Incompatible materials: None known.

**10.6** Hazardous decomposition products: None known.

## 11 Toxicological information

## 11.1 Information on toxicological effects:

Routes of exposure: No information available.

Acute toxicity:

Oral:

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 01.14.2016 **Revision**: 03.30.2016

### **ETP Copper**

Iron: LD50: Rat - 7,500 mg/kg.

Nickel (solid): LDLo - Rat - 5,000 mg/kg.

#### Inhalation:

Tellurium (solid): LC50 - Rat - 2,420 mg/m<sup>3</sup>/4h.

Selenium: LCLo - Rat - 33 mg/m³/8h. Cadmium: LC50 - Rat - 25 mg/m³/30 mins.

#### Skin corrosion/irritation:

Sulfur: Irritating to the skin.

# Serious eye damage/irritation:

Tellurium (solid): Irritating effect on the eyes.

## Respiratory or skin sensitization:

Nickel (solid): Sensitization possible through skin contact.

## **Carcinogenicity:**

- : According to the Fourth Annual Report on Carcinogens (NTP 85-002, 1985), arsenic and certain arsenic compounds have been listed as known carcinogens.
- : Component may cause cancer.
- : Component may cause cancer.

#### IARC (International Agency for Research on Cancer):

Group 1 - Carcinogenic to humans: Nickel (solid).

Group 1 - Carcinogenic to humans: Cadmium.

# NTP (National Toxicology Program):

Reasonably anticipated to be human carcinogens: Nickel (solid).

Known to be human carcinogens: Cadmium.

#### **Germ cell mutagenicity:**

Iron: Ames test S. Typhimurium negative.

Cadmium: Cadmium is a mutagen that acts by inhibiting mismatch repair.

## **Reproductive Toxicity:**

Cadmium: Toxic effects on the reproductive system.

### STOT-single and repeated exposure:

Tellurium (solid): Component affects the respiratory system.

Nickel (solid): Substance causes damage to organs. Cadmium: Substance causes damage to organs.

**Aspiration toxicity:** No information available.

# Additional toxicological information:

No additional information.

## 12 Ecological information

# 12.1 Toxicity:

# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 01.14.2016 **Revision**: 03.30.2016

# **ETP Copper**

Arsenic: Aquatic invertebrates, NOEC - Opossum Shrimp - 0.631 mg/L - 29 to 51 days.

Arsenic: Aquatic invertebrates, LC50 - Calanoid Copepod - 0.508 mg/L - 96 hr.

Selenium: Aquatic Plants, NOEC - Pseudokirchneriella subcapitata - 100 mg/L - 2 days.

Iron: Fish, static test - Morone saxatilis - 13.6 mg/l - 96 h.

Sulfur: Fish, Oncorhynchus mykiss (rainbow trout) - > 180 mg/l - 96 h.

Sulfur: Aquatic invertebrates, Daphnia magna (Water flea) - > 5,000 mg/l - 48 h. Cadmium: Aquatic Plants, NOEC - Parachlorella kessleri - 0.002 mg/L - 5 days.

Cadmium: Fish, LC50 - Chrysophrys major - 0.56 mg/L - 72 hr.

# 12.2 Persistence and degradability:

No additional information.

#### 12.3 Bioaccumulative potential:

No additional information.

## 12.4 Mobility in soil:

No additional information.

#### **General notes:**

No additional information.

#### 12.5 Results of PBT and vPvB assessment:

**PBT:** No additional information. **vPvB:** No additional information.

#### 12.6 Other adverse effects:

No additional information.

#### 13 Disposal considerations

#### 13.1 Waste treatment methods

#### **Relevant information:**

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities.

## 14 Transport information

#### Land transport:

## **DOT (49 CFR) transport**

14.1	UN Number:	Not Regulated
14.2	UN Proper shipping name:	Not Regulated
14.3	UN Transport hazard classes:	
14.4	Packing group: Danger label:	Not Regulated
14.5	Environmental hazards:	No

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 01.14.2016 **Revision**: 03.30.2016

# **ETP Copper**

# 14.6 Special precautions for user:

None

# ADR/RID

14.1	UN Number:	Not Regulated
14.2	UN Proper shipping name:	Not Regulated
14.3	UN Transport hazard classes:	
14.4	Packing group:	Not Regulated
	Danger label:	
	Tunnel restriction code:	None
	Transport category:	None
	Hazard ID number:	None
14.5	Environmental hazards:	No
14.6	Special precautions for user:	
	None	

# Air transport:

# IATA-DGR

14.1	UN Number:	Not Regulated
14.2	UN Proper shipping name:	Not Regulated
14.3	UN Transport hazard classes:	
14.4	Packing group:	Not Regulated
	Danger label:	
14.5	Environmental hazards:	No
14.6	Special precautions for user:	
	None	

# Sea transport:

# **IMDG**

14.1	UN Number:	Not Regulated
14.2	UN Proper shipping name:	Not Regulated
14.3	UN Transport hazard classes:	
14.4	Packing group: Danger label:	Not Regulated

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 01.14.2016 **Revision**: 03.30.2016

## **ETP Copper**

	EMS code:	None
14.5	Environmental hazards:	No
14.6	Special precautions for user: None	
14.7	14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable	

## 15 Regulatory information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

## **North American**

SARA Section 311/312 (Specific toxic chemical listings): Not classified.

# SARA Section 302 (Extremely hazardous substances):

7723-14-0 Phosphorus.

# SARA Section 313 (Specific toxic chemical listings):

7782-49-2 Selenium.

7439-92-1 Lead.

7440-22-4 Silver.

7440-02-0 Nickel (solid).

7440-43-9 Cadmium.

# TSCA (Toxic Substances Control Act):

All ingredients are listed.

## **TSCA Rules and Orders:**

7439-92-1 Lead : Substance is subject to a TSCA 12(b) notification.

#### CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

7440-38-2 Arsenic: 1.

7440-36-0 Antimony: 5000.

7782-49-2 Selenium: 100.

7439-92-1 Lead: 10.

7440-22-4 Silver: 1000.

7440-02-0 Nickel (solid): 100.

7723-14-0 Phosphorus: 1.

7440-43-9 Cadmium: 10.

#### **Proposition 65 (California):**

#### Chemicals known to cause cancer:

7440-02-0 Nickel (solid).

7440-43-9 Cadmium.

Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed.

## Chemicals known to cause reproductive toxicity for males:

7440-43-9 Cadmium.

## Chemicals known to cause developmental toxicity:

7440-43-9 Cadmium.

## Canada

# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 01.14.2016 **Revision**: 03.30.2016

## **ETP Copper**

#### Canadian Domestic Substances List (DSL):

All ingredients are listed.

## **European Union**

**REACH Article 57 (SVHC)**: None of the ingredients are listed.

Germany MAK: Not classified.

### **Australia**

## Australian Inventory of Chemical Substances (AICS):

All ingredients are listed.

#### China

## Inventory of Existing Chemical Substances in China (IECSC):

All ingredients are listed.

### Japan

# Inventory of Existing and New Chemical Substances (ENCS):

All ingredients are listed.

#### **Korea**

## **Existing Chemicals List (ECL)**:

All ingredients are listed.

## **New Zealand**

### New Zealand Inventory of Chemicals (NZOIC):

All ingredients are listed.

# **Philippines**

## Philippine Inventory of Chemicals and Chemical Substances (PICCS):

All ingredients are listed.

#### **Taiwan**

### Taiwan Chemical Substance Inventory (TSCI):

All ingredients are listed.

## 16 Other information

## Abbreviations and Acronyms: None

# Summary of classification in section 3:

Acute Tox. 3; H301	Acute toxicity (oral), category 3
Acute Tox. 3; H331	Acute toxicity (inhalation), category 3
Aquatic Acute 1; H400	Acute aquatic hazard, category 1
Aquatic Chronic 1; H410	Chronic aquatic hazard, category 1
Acute Tox. 4; H332	Acute toxicity (inhalation), category 4
Eye Irrit. 2; H319	Eye irritation, category 2A
Stot SE 3; H335	Specific target organ toxicity - single exposure, category 3, respiratory irritation

## Summary of hazard statements in section 3:

H301	Harmful if swallowed
------	----------------------

# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 01.14.2016 **Revision**: 03.30.2016

# **ETP Copper**

H331	Harmful if inhaled
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H332	May be harmful if inhaled
H319	Causes serious eye irritation
H335	May cause respiratory irritation

#### **Manufacturer Statement:**

This product has been classified in accordance within GHS guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.